

interface.com

United States Headquarters

1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.52128

Brazilian Headquarters

Av. Das Nações Unidas 14261
25 andar, sala 25 - 122, Brooklin Paulista
São Paulo SP 04578 - 000
Brasil
+ 5511.2196.0900

Latin American Headquarters

Montes Urales # 415 Piso 6
Lomas de Chapultepec
Miguel Hidalgo, CDMX
11000 Mexico
+ 52.55.2791.6812

CIM # IFS00619 07/2021



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.

Net Effect Collection

B601
B602
B603
B701
B702
B703

Interface®

Net Effect™ Collection

Seeing the first photographs of Earth from space reframed our relationship with the world and one another forever. It was suddenly clear that the oceans we all share make us unique in the universe.


Inspired by the color and movement of the oceans, our Net Effect collection includes three square styles and three planks. B601, B602 and B603 are a grouping of three textures in 50 cm squares that, when placed side by side, describes the precise moment when the sea foams into the shore. The 25 cm x 1 m planks - B701, B702 and B703 - capture the fluidity of water in linear patterns with expanding and contracting rhythms. The shared palette was drawn from the deepest parts of the ocean to the sun and salt bleached wood and stones of the shore.

All six are made with 100% recycled content nylon, including post-consumer nylon from discarded fishing nets gathered through our Net-Works® partnership. Net-Works provides a source of income for small fishing villages in the Philippines while cleaning up their beaches and waters. The collected nets are sold to Aquafil, who, in turn, converts them into yarn for Interface carpet tile – a very bright (blue) idea for a greener future.







B601 Colorline



102904 BLACK SEA



102905 NORTH SEA




102906 PACIFIC



102907 ARCTIC



102908 ATLANTIC



102909 CASPIAN



102910 SAND



102911 DRIFTWOOD

Specifications **i2**

Modular, 50cm x 50cm	126650250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.228 in., 5.8 mm
Pile Density	4,737
Total Recycled Content	86% (22% Post-Consumer)
Indoor Air Quality	CRI Green Label Plus #GLP0820

Installation Methods



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES


B602 Colorline



102912 BLACK SEA



102913 NORTH SEA



102914 PACIFIC




102915 ARCTIC



102916 ATLANTIC



102917 CASPIAN



102918 SAND



102919 DRIFTWOOD


B603 Colorline



102920 BLACK SEA



102921 NORTH SEA



102922 PACIFIC



102923 ARCTIC



102924 ATLANTIC



102925 CASPIAN



102926 SAND



102927 DRIFTWOOD

Specifications

Modular, 50cm x 50cm	126670250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.155 in., 3.9 mm
Pile Density	6,039
Total Recycled Content	86% (21% Post-Consumer)
Indoor Air Quality	CRI Green Label Plus #GLP0820

Installation Methods



NON DIRECTIONAL



BROWSE IMAGES
ORDER SAMPLES

Specifications

Modular, 50cm x 50cm	126680250H
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.132 in., 3.4 mm
Pile Density	6,273
Total Recycled Content	86% (20% Post-Consumer)
Indoor Air Quality	CRI Green Label Plus #GLP0820

Installation Methods




NON DIRECTIONAL




BROWSE IMAGES
ORDER SAMPLES



B701 Colorline



102888 BLACK SEA



102889 NORTH SEA




102890 PACIFIC



102891 ARCTIC



102892 ATLANTIC



102893 CASPIAN



102894 SAND



102895 DRIFTWOOD

Specifications

Modular, 25cm x 1m	126560AKOH
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Sheared
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.174 in., 4.4 mm
Pile Density	4,759
Total Recycled Content	86% (20% Post-Consumer)
Indoor Air Quality	CRI Green Label Plus #GLP0820

Installation Methods



ASHLAR



HERRINGBONE



BROWSE IMAGES
ORDER SAMPLES



B702 Colorline



102896 BLACK SEA



102897 NORTH SEA




102898 PACIFIC



102899 ARCTIC



102900 ATLANTIC



102901 CASPIAN



102902 SAND



102903 DRIFTWOOD

Specifications

Modular, 25cm x 1m	126620AKOH
Backing System	GlasBac®RE Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Pattern Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protek2®
Pile Thickness	0.134 in., 3.4 mm
Pile Density	4,836
Total Recycled Content	85% (19% Post-Consumer)
Indoor Air Quality	CRI Green Label Plus #GLP0820

Installation Methods



ASHLAR




HERRINGBONE




BROWSE IMAGES
ORDER SAMPLES



B703 Colorline



103961 BLACK SEA



103962 NORTH SEA



103963 PACIFIC



103964 ARCTIC



103965 ATLANTIC



103966 CASPIAN



103967 SAND



103968 DRIFTWOOD

Specifications

Modular, 25cm x 1m	124970AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Cut Pile
Preservative Protection	Intersept®
Soil/Stain Protection	Protek2®
Pile Thickness	0.063 in., 1.6 mm
Pile Density	9,143
Total Recycled Content	68%
Indoor Air Quality	CRI Green Label Plus #GLP0820

Installation Methods



ASHLAR



HERRINGBONE



BROWSE IMAGES
ORDER SAMPLES

Why Our Modular Flooring?




i2® Modular Carpet

Minimize waste & save money. Interface's i2® styles have mergeable dye lots. That means i2 tiles from different dye lots always blend with tiles of the same color, even when individual tiles are selectively replaced years later. This minimizes the need for attic stock and saves money. And i2 styles that install non directionally generate an average of only 1.5% installation waste as compared to 3-4% for typical modular carpet and an average of 14% for traditional roll carpet.



TacTiles™

No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that “floats” for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives. TacTiles are approved for use on GlasBac™, GlasBacRE, CQuest™GB, Graphlar™ and Graphlex™.



Intersept®

Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde. Intersept is standard in Interface carpet tile products backed with GlasBac, GlasBacRE, CQuestGB, ReadyBac™, and CushionBac Renew™.



ReEntry™

Recyclable. Through our ReEntry program, we reclaim all Interface carpet tile. The result? Carpet tile products with up to 85% total recycled content, including as much as 25% post-consumer content.



Sustainability Transparency

Transparency and certified sustainability leadership come standard on Interface products, including published ingredients in HPDs (Health Product Declarations) and published EPDs (Environmental Product Declarations), which are based on full life cycle assessment (LCA). And, Interface carpet products are certified to the NSF 140 Sustainable Carpet Assessment Standard. Additionally, Interface flooring and recommended adhesives are 3rd party certified for low VOC emissions in compliance with California Department of Public Health (CDPH) Standard Method v1.2–2017. Carpet products made in our US facilities are made with 99% renewable energy.



Third Party Certification

The flooring products that we sell, including cartpet tile, are carbon neutral across their full product life cycle through our third party verified Carbon Neutral Floors™ program. To find out more, visit interface.com/carbonneutral



Environmental Product Declaration (EPD) –

A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Sustainable Assessment for Carpet – The

only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.

Samples

Order samples at interface.com. You'll receive email order confirmations, 24/7 access to order status and more. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500
Canada 1.866.398.3192

Brazil + 5511.2196.0900
Latin America + 52.55.6395.5100

interface.com

Register at interface.com to:

- Browse products and order samples
- View carpet in a variety of room scenes
- Browse floor designs, change colors, view as a grid or in a room, download and share
- Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see interface.com/disclaimer.



RECYCLED
Paper made from recycled material
FSC® C009723



PLEASE RECYCLE

Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.