



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

www.interface.com

United States Headquarters

1280 West Peachtree Street NW
Atlanta, GA 30309
1.800.634.6032

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.2128

Brazilian Headquarters

Av. Das Nações Unidas 14261
25 andar, sala 25-122,
Brooklin Paulista,
São Paulo SP 04578-000
Brasil
+ 5511 2196 0900

Latin American Headquarters

Montes Urales # 415 Piso 6
Lomas de Chapultepec
Miguel Hidalgo, CDMX, 11000
Mexico
+ 52 55 2791 6812

CIM # IFS00674 02/2021



Climate change is undeniable. And reversible. Our mission is to prove it. **Join the #ClimateTakeBack and help create a climate fit for life.**

A modern office interior featuring a patterned carpet in shades of grey, blue, and yellow. A black, curved chair is positioned on the carpet. In the background, there is a staircase with a glass railing and a large window. The overall atmosphere is clean and professional.

Silver Linings Collection

Interface®

A stormy sky might seem hopeless, but silver linings in dark clouds assure us of the optimism of nature, that storms will clear to brighter prospects.

Loaded with possibilities, Silver Linings™ is a collection of three patterns in 12 colorways designed in our 25cm x 1m planks. SL910™ is the quiet-before-the-storm, pure texture. Three accent colors start to flicker through the second texture, SL920™. And a very exciting new effect appears in SL930™, where each accent finds a place on its own tile and color flashes in bold gestures—transforming the whole atmosphere of a space through the shift in scale.



PRODUCT SL920 COLOR 104519 BEIGE LINE INSTALLED HERRINGBONE





PRODUCT SL920. COLORS 104316 MICA LINE, 104516 STONE LINE. INSTALLED ASHLAR





PRODUCT SL930 · COLOR 104526 NICKEL FADE · PRODUCT SL920 · COLOR 104514 NICKEL LINE
PRODUCT SL910 · COLOR 104502 NICKEL INSTALLED ASHLAR



SL910™ Colorline



104498 NAVY



104499 BLACK



104500 CHARCOAL



104501 GRAPHITE



104502 NICKEL



104503 GREY



104504 STONE



104505 GINKGO



104506 MICA



104507 BEIGE



104508 TAUPE



104509 WALNUT



SL920™ Colorline




104510 NAVY LINE




104511 BLACK LINE




104512 CHARCOAL LINE



104513 GRAPHITE LINE



104514 NICKEL LINE



104515 GREY LINE



104516 STONE LINE



104517 GINKGO LINE



104518 MICA LINE



104519 BEIGE LINE



104520 TAUPE LINE



104521 WALNUT LINE






PRODUCT SL930 COLOR 104530 MICA FADE INSTALLED ASHLAR

SL930™ Colorline The colorline grids shown below are all in a 2m x 2m ashlar display.




104522 NAVY FADE



104523 BLACK FADE



104524 CHARCOAL FADE



104525 GRAPHITE FADE



104526 NICKEL FADE



104527 GREY FADE



104528 STONE FADE



104529 GINKGO FADE

SL930™ Colorline The colorline grids shown below are all in a 2m x 2m ashlar display.




104530 MICA FADE



104531 BEIGE FADE



104532 TAUPE FADE



104533 WALNUT FADE


All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.

Specifications




SL910

Modular, 25cm x 1m	138770AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.112 in., 3.7 mm
Pile Density	6,429
Total Recycled Content	69%
Indoor Air Quality	CRI Green Label Plus #GLP0820



SL920


Modular, 25cm x 1m	138780AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.112 in., 2.8 cm
Pile Density	6,429
Total Recycled Content	69%
Indoor Air Quality	CRI Green Label Plus #GLP0820



SL930




Modular, 25cm x 1m	138790AK00
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.117 in., 3 mm
Pile Density	6,462
Total Recycled Content	69%
Indoor Air Quality	CRI Green Label Plus #GLP0820




Design Ideas

Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.




■ **PRODUCT** SL930 **COLOR** 104527 GREY FADE




■ **PRODUCT** ON LINE **COLOR** 103797 AZURE

■ **PRODUCT** SL930 **COLOR** 104528 STONE FADE



■ **PRODUCT** SL920 **COLOR** 104518 MICA LINE

■ **PRODUCT** SL920 **COLOR** 104516 STONE LINE



■ **PRODUCT** SL930 **COLOR** 104526 NICKEL FADE

■ **PRODUCT** SL920 **COLOR** 104514 NICKEL LINE

■ **PRODUCT** SL910 **COLOR** 104502 NICKEL

Why Our Modular Carpet?



i2® Modular Flooring

Minimize waste & save money. Interface's i2 styles have mergeable dye lots. That means i2 tiles from different dye lots always blend with tiles of the same color, even when individual tiles are selectively replaced years later. This minimizes the need for attic stock and saves money. And i2 styles that install non directionally generate an average of only 1.5% installation waste as compared to 3-4% for typical modular carpet and an average of 14% for traditional roll carpet.



TacTiles™

No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

Third Party Certification
Our Carbon Neutral Floors™ program is annually verified by a third party.



Environmental Product Declaration (EPD) – A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Intersept™

Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteria—guaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde.



ReEntry™

Recyclable is now a reality. Through our ReEntry program and partnerships with our fiber suppliers and recycling centers throughout North America, separated Type 6 and 6,6 nylon are recycled into new 6 and 6,6 nylon while separated GlasBac™, GlasBacRE, similar competitive backings and our own LVT are recycled into new GlasBacRE non-virgin PVC backing using our Cool Blue™ technology. The result? Products with up to 89% total recycled content, including as much as 27% post-consumer content.



Sustainable Assessment for Carpet – The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



CRI Green Label Plus – An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



Sustainable Choice

Environmental responsibility. More than 95% of Interface products manufactured in the Americas carry the GreenCircle Certified Environmental Facts label, which has verified that standard Interface products are manufactured using 99% renewable energy and offer a minimum of 66% and 80% total recycled content when backed with GlasBac and GlasBacRE backing respectively.

Transparency and certified sustainability leadership come standard on all Interface products, including published ingredients in HPDs (Health Product Declarations) or Declare Labels. In addition, more than 99% of our products globally have a published EPD (Environmental Product Declaration), which evaluates consistent factors based on full life cycle assessment (LCA). And, all Interface products with GlasBacRE backing are certified to the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac backed products meet the Gold level. NSF/ANSI 140 certified products contribute toward a USGBC or CaGBC LEED credit.



Carbon Neutral Floors™

Create a climate fit for life. All Interface flooring sold globally is third party verified carbon neutral. We've taken a holistic approach to achieve carbon neutrality, first through reducing the carbon footprint of our products and then using carbon offsets for the remainder, including the emissions from raw materials, our manufacturing processes and product use to end of life.