



Printed on 100% post consumer waste (PCW) fiber manufactured using wind power.

interface.com

United States Headquarters

1280 West Peachtree Street NW Atlanta, GA 30309 1.800.634.6032

Canadian Headquarters

233 Lahr Drive Belleville, ON K8N 5S2 1.800.267.2149 ext. 52128

Latin American Headquarters


Montes Urales # 415 Piso 6 Lomas de Chapultepec Miguel Hidalgo, CDMX 11000 Mexico

+ 52.55.2791.6812

CIM# IFS00921 01/2023



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.




Your first choice for creating comfortable, collaborative spaces.

First, there was home. Then, the workplace. Now comes the "third space" — encompassing alternative environments in which people can gather, converse, collaborate and reenergize. To support this engaging ambience, the Third Space collection combines the classic feel of the office with a plush, residential vibe. Ubiquitous, cool neutrals work the room while trending warm hues offer a cozier color palette.

Transition tiles like Third Space 301, Third Space 302 and Third Space 303 enable nesting and wayfinding through softer, more welcoming shapes. Accentuate with pops of color or mix with FLOR® patterns to add elements of the third space into any sized footprint.

No stranger to innovation, Interface produces carpet tiles with the lowest carbon footprint in the commercial flooring industry — before any offsets. And like all Interface products, the Third Space collection is third-party verified carbon neutral across the full product life cycle through our Carbon Neutral Floors™ program.



Third Space[™] 301 Color Range



107837 MIST



107838 NAVY



107839 LINEN



107840 NICKEL



107841 FLANNEL



107842 BLACK



107843 CHARCOAL



107844 IRON



107845 GRANITE



107846 EBONY



107847 STONE



107848 NATURAL



107849 OAT



107850 BROWN



107851 SHELL



107852 AMBER

Specifications

Total Recycled Content

Indoor Air Quality

Modular, 50cm x 50cm Yarn Manufacturer 168050 100% Recycled Content Nylon 100% Solution Dyed Engaged Tufted Pattern Loop Intersept® Yarn System Color System Construction Preservative Protection Protekt^{2®} 0.105 in., 2.7 mm Soil/Stain Protection Pile Thickness Pile Density 7,886 oz/yd³ Up To 83%

CRI Green Label Plus #GLP0820

Installation Method





BROWSE IMAGES ORDER SAMPLES






Third Space[™] 302 Color Range













107854 NAVY










107858 BLACK





107859 CHARCOAL









107865 OAT

107867 SHELL



107868 AMBER

107863 STONE

Specifications

Installation Method

Modular, 50cm x 50cm Yarn Manufacturer Yarn System Color System Construction Preservative Protection Soil/Stain Protection

Pile Thickness Pile Density

Indoor Air Quality

168060

Aquafil 100% Recycled Content Nylon 100% Solution Dyed Engaged Tufted Pattern Loop Intersept®


Protekt^{2®} 0.105 in., 2.7 mm 7,886 oz/yd³ Up To 83% Total Recycled Content

CRI Green Label Plus #GLP0820





Third Space[™] 303 Color Range



107869 MIST



107870 NAVY



107871 LINEN



107872 NICKEL



107873 FLANNEL



107874 BLACK



107875 CHARCOAL



107876 IRON



107877 GRANITE



107878 EBONY



107879 STONE



107880 NATURAL



107881 OAT



107882 BROWN



107883 SHELL



107884 AMBER

Specifications

Installation Method

Modular, 50cm x 50cm Yarn Manufacturer Yarn System Color System Construction Preservative Protection Soil/Stain Protection

Pile Thickness Pile Density


Indoor Air Quality

100% Recycled Content Nylon 100% Solution Dyed Engaged Tufted Pattern Loop Intersept® Protekt^{2®} 0.104 in., 2.6 mm 7,962 oz/yd³ Up To 83% Total Recycled Content CRI Green Label Plus #GLP0820











Third Space[™] 304 Color Range



107885 MIST



107886 NAVY



107887 LINEN



107888 NICKEL



107889 FLANNEL



107890 BLACK



107891 CHARCOAL



107892 IRON




107893 GRANITE



107894 EBONY



107895 STONE




107896 NATURAL



107897 OAT



107898 BROWN



107899 SHELL



107900 AMBER

Specifications

Modular, 50cm x 50cm Yarn Manufacturer 168080 168080
Aquafii
100% Recycled Content Nylon
100% Solution Dyed
Engaged Tufted Pattern Loop
Intersept®
Protekt2®
0.121 in., 3.1 mm
6,545 oz/yd³
Up To 84%
CRI Green Label Plus #GI P088 Yarn System Color System Construction Preservative Protection Soil/Stain Protection Pile Thickness Pile Density


CRI Green Label Plus #GLP0820

Installation Method





BROWSE IMAGES ORDER SAMPLES



Total Recycled Content



Third Space[™] 305 Color Range













107902 NAVY

107903 LINEN

107904 NICKEL

107905 FLANNEL











107906 BLACK











107912 NATURAL

107914 BROWN

107915 SHELL



107916 AMBER

107911 STONE

Specifications

168090 Aquafil 100% Recycled Content Nylon 100% Solution Dyed Engaged Tufted Pattern Loop Intersept® Modular, 50cm x 50cm Yarn Manufacturer Yarn System Color System Preservative Protection Protekt^{2®} 0.108 in., 2.7 mm Soil/Stain Protection Pile Thickness Pile Density

Total Recycled Content Indoor Air Quality

CRI Green Label Plus #GLP0820



Installation Method



Construction

7,667 oz/yd³ Up To 83%

Third Space[™] 306 Color Range



107918 MIST



107919 NAVY



107920 LINEN



107921 NICKEL



107922 FLANNEL



107923 BLACK



107924 CHARCOAL



107925 IRON



107926 GRANITE



107927 EBONY



107928 STONE



107929 NATURAL



107930 OAT



107931 BROWN



107932 SHELL



107933 AMBER

Specifications

ecifications

CRI Green Label Plus #GLP0820

Modular, 50cm x 50cm
Yarn Manufacturer
Yarn System
Color System
Construction
Soil/Stain Protection
Pile Thickness
Pile Density
Total Recycled Content Nylon
100% Solution Dyed
Engaged Tufted Pattern Loop
Intersept*
Protekt*
Protekt*
Protekt*
Protekt*
7,738 oz/yd³
Total Recycled Content
Up To 83%




Installation Method





BROWSE IMAGES ORDER SAMPLES





Third Space[™] 307 Color Range



107982 MIST



107985 NICKEL



107988 CHARCOAL



107991 EBONY



107994 OAT



107997 AMBER



107983 NAVY



107986 FLANNEL



107989 IRON



107992 STONE



107995 BROWN



107984 LINEN



107987 BLACK



107990 GRANITE



107993 NATURAL



107996 SHELL

Specifications

Modular, 25cm x 1m 168160 Yarn Manufacturer Aquafil

Yarn System 100% Recycled Content Nylon
Color System 100% Solution Dyed
Construction Engaged Tufted Pattern Loop
Intersept*
Construction Intersept*

Preservative Protection Soil/Stain Protection Pile Thickness Pile Density Total Recycled Content Indoor Air Quality

Protekt^{2®}
0.098 in., 2.5 mm
8,082 oz/yd³
Up To 84%

ty CRI Green Label Plus #GLP0820



Installation Methods





ORDER SAMPLES

Third Space[™] 308 Color Range



107998 MIST



108001 NICKEL



108004 CHARCOAL



108007 EBONY



108010 OAT



108013 AMBER



107999 NAVY



108002 FLANNEL



108005 IRON



108008 STONE



108011 BROWN



108000 LINEN



108003 BLACK



108006 GRANITE



108009 NATURAL



108012 SHELL

Specifications

Modular, 25cm x 1m Yarn Manufacturer 168170 Aquafil Aquatil
100% Recycled Content Nylon
100% Solution Dyed
Engaged Tufted Pattern Loop
Intersept®
Protekt^{2®}
0.105 in, 2.6 mm
7542 oz.4.43 Yarn System Color System Construction Preservative Protection Soil/Stain Protection Pile Thickness Pile Density 7,543 oz/yd³

Up To 84%

CRI Green Label Plus #GLP0820





Installation Methods



BROWSE IMAGES ORDER SAMPLES



View the full product specification on interface.com

Total Recycled Content



LVT PRODUCT TEXTURED STONES COLOR A00302 COOL POLISHED CEMENT INSTALLED NON DIRECTIONAL CARPET PRODUCT THIRD SPACE 309 COLOR 107935 NAVY INSTALLED MONOLITHIC interface.com

Third Space[™] 309 Color Range





107935 NAVY







107934 MIST



107940 CHARCOAL









107939 BLACK

107944 STONE











107949 AMBER

Specifications


Modular, 50cm x 50cm Yarn Manufacturer Aquafil 100% Recycled Content Nylon 100% Solution Dyed Engaged Tufted Pattern Loop Intersept® Yarn System Color System Construction Preservative Protection Soil/Stain Protection
Pile Thickness Protekt^{2®} 0.112 in., 2.8 mm Pile Density 7,071 oz/yd³ Up To 84% Total Recycled Content

Installation Method




CRI Green Label Plus #GLP0820 Indoor Air Quality

Third Space[™] 310 Color Range



108014 MIST



108017 NICKEL



108020 CHARCOAL



108023 EBONY



108026 OAT

108029 AMBER



108015 NAVY



108018 FLANNEL



108021 IRON




108024 STONE



108027 BROWN




108016 LINEN



108019 BLACK



108022 GRANITE



108025 NATURAL



108028 SHELL

Specifications

 Modular, 25cm x 1m
 168180

 Yarn Manufacturer
 Aquafil

 Yarn System
 100% Recycled Content Nylon

 Color System
 100% Solution Dyed

 Construction
 Engaged Tufted Pattern Loop

 Preservative Protection
 Intersept®

 Soil/Stain Protection
 Protekt²®

 Pile Thickness
 0.107 in, 2.7 mm

 Pile Density
 7,402 oz/yd³

 Total Recycled Content
 Up To 84%

CRI Green Label Plus #GLP0820




Installation Methods






BROWSE IMAGES ORDER SAMPLES





Third Space[™] 311 Color Range















107951 NAVY

107952 LINEN


107953 NICKEL

107954 FLANNEL











107956 CHARCOAL

107957 IRON


107958 GRANITE

107959 EBONY











107961 NATURAL

107962 OAT

107963 BROWN



107965 AMBER

Specifications

Modular, 50cm x 50cm Yarn Manufacturer Yarn System Color System

Construction Preservative Protection Soil/Stain Protection
Pile Thickness Pile Density Total Recycled Content Indoor Air Quality

168130 Aquafil 100% Recycled Content Nylon 100% Solution Dyed Engaged Tufted Pattern Loop Intersept®

Protekt^{2®} 0.113 in., 2.8 mm 7,009 oz/yd³ Up To 84%

CRI Green Label Plus #GLP0820



Installation Methods








ORDER SAMPLES

Third Space[™] 312 Color Range



107966 MIST



107967 NAVY



107968 LINEN



107969 NICKEL



107970 FLANNEL



107971 BLACK



107972 CHARCOAL



107973 IRON



107974 GRANITE



107975 EBONY



107976 STONE



107977 NATURAL



107978 OAT



107979 BROWN



107980 SHELL



107981 AMBER

Specifications

Installation Method

Modular, 50cm x 50cm Yarn Manufacturer Yarn System Color System Construction Preservative Protection Soil/Stain Protection Pile Thickness Pile Density

168140 Aquatil
100% Recycled Content Nylon
100% Solution Dyed
Engaged Tufted Pattern Loop
Intersept®
Protekt^{2®}
0.106 in, 2.7 mm


7,811 oz/yd³ Up To 83%

Total Recycled Content CRI Green Label Plus #GLP0820 Indoor Air Quality











Modular Flooring

Performance and flexibility. Interface's standard backing systems set the industry standard for modular performance. Tiles stay on the floor with no upcurl, no tapping and no rippling effect, yet are easy to selectively replace. Our modular carpet is easier to handle than bulky roll carpet and produces an average of just 3-4% waste compared to roll carpet's average of 14%. And it installs seamlessly with our LVT, no transition strips needed.



No glue installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives. TacTiles are approved for use on GlasBac™ and CQuest™GB.



Intersept®

Mold protection. Our proprietary preservative, Intersept, protects our modular carpet against mold growth and odor-causing bacteriaguaranteed. Intersept treated carpet, with proper maintenance, shows no mold or bacterial growth when tested per the ASTM E2471 Standard Test Method. Intersept is EPA approved for safe use in carpet, water insoluble and contains no halogens, heavy metals, phenols or formaldehyde. Intersept is standard in Interface carpet tile products backed with GlasBac, CQuestGB, ReadyBac™ and CushionBac Renew™.



ReEntry™

Recyclable. Through our ReEntry program we reclaim and recycle our carpet tile and Sound Choice™ LVT. ReEntry is the only 3rd party certified recycling system among North American flooring manufacturers.



Sustainability Transparency

Transparency and certified sustainability leadership come standard on Interface products. We enlist outside partners to help us evaluate the entire product lifecycle and reduce the environmental and human health impact of our flooring. And, carpet products made in our US facilities are made with 99% renewable energy.



Help Lower Your Carbon Footprint

Like all the flooring products we sell, Interface carpet tile is carbon neutral across its full product life cycle through our third party verified Carbon Neutral Floors™ program. To find out more, visit interface.com/ carbonneutral



Environmental Product Declaration (EPD) -A statement of product ingredients and environmental impacts over the entire life cycle of a product. A comprehensive life cycle assessment (LCA) is performed to ISO standards to develop an EPD, after which both the EPD and LCA must be third party verified.



Health Product Declaration (HPD) -A transparency tool for evaluating whether a product supports Green Chemistry. As part of our work on Health and Materials. Interface continuously reduces the environmental and health impacts of our products through elimination of materials of concern



CRI Green Label Plus - An independent testing program that identifies carpet and adhesives with very low emissions of VOCs to help improve indoor air quality.



NSF 140 Sustainable Carpet Assessment -The only carpet sustainability standard in North America that evaluates the environmental impact of carpet for its entire lifecycle.



FLOR by Interface offers lush textures and bold patterns that are anything but business as usual. FLOR carpet tiles are the perfect design accent for offices, conference rooms and high-profile collaborative spaces – as area rugs or wall-to-wall installations. With all the performance benefits of Interface products, including the 15-year commercial warranty, they'll get the job done for years to come. Visit FLOR.com for more.

Samples

Register and order samples at interface.com. Not near a computer? You can also request samples by calling one of the numbers below.

United States 1.877.605.1500 Canada 1.866.398.3192

Brazil

Latin America + 5511.2196.0900 + 52.55.2791.6812

interface.com

Do more on interface.com

- Browse products and order samples
- Save and share favorites
- See images of products in a variety of room scenes
- Browse floor designs, change colors, upload your own image, download and share
- Get full specifications, sustainability certifications and more
- · Check order status and inventory availability
- Sign up to get the latest information on Interface products and news

InterCircle Sample Return

Help us close the loop on the carpet sampling process. Through our InterCircle Sample Return program, sample materials stay out of the landfill and are re-used as samples until it is time to recycle them into new carpet. By reducing sample production material and diverting old materials from the landfill, we can reduce our overall environmental footprint.

Call 1.877.605.1500 (U.S.) or 1.866.398.3192 (Canada) to order a sample return bag with a prepaid return label.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see interface.com/disclaimer.