

SCS Global Services does hereby certify that an independent assessment has been conducted on behalf of:

Interface, Inc.

1280 W. Peachtree Street, Atlanta, GA, United States

For the following product(s):

Vinyl Tile

Boundary Metallics, Brushed Lines, Criterion Classic Collection, Desert Scapes Collection, Drawn Lines, Iridescence, Level Set Collection, Look Both Ways Collection, Native Fabric, Stargazing Collection, Steady Stride Collection, Studio Set

(Maximum Thickness 5.0 mm)



The product(s) meet(s) all of the necessary qualifications to be certified for the following claim(s):

FloorScore®

Indoor Air Quality Certified to SCS-EC10.3-2014 v4.0

Conforms to the CDPH/EHLB Standard Method v1.2-2017 (California Section 01350), effective April 1, 2017, for the school classroom and private office parameters when modeled as Flooring.

Measured Concentration of Total Volatile Organic Compounds (TVOC): Less than/equal to 0.5 mg/m³ (in compliance with CDPH/EHLB Standard Method v1.2-2017)



Registration # SCS-FS-04366

Valid from: February 1, 2022 to January 31, 2023

SCS Global Services is currently the only certification body approved by the Resilient Floor Covering Institute (RFCI) to provide FloorScore® product



A handwritten signature in black ink that reads "Stanley Mathuram".

Stanley Mathuram, PE, Executive Vice President
SCS Global Services
2000 Powell Street, Ste. 600, Emeryville, CA 94608 USA